















Application	Material	d1 [mm]	z	f <sub>z</sub> [mm]	a <sub>p</sub> [mm]	a <sub>e</sub> [mm]	n=10000 min <sup>-1</sup> vf [mm/min]	n=15000 min <sup>-1</sup> vf [mm/min]	n=20000 min <sup>-1</sup> vf [mm/min]	n=30000 min <sup>-1</sup> vf [mm/min]
	Graphite	6.00	2	0.071	2.700	3.600	1420	2130	2840	4260
		8.00	2	0.094	3.600	4.800	1880	2820	3760	5640
		10.00	2	0.118	4.500	6.000	2360	3540	4720	7080
		12.00	2	0.141	5.400	7.200	2820	4230	5640	8460
	 <b>B</b>  <b>B</b>									
	Graphite	6.00	2	0.055	2.700	6.000	1100	1650	2200	3300
		8.00	2	0.073	3.600	8.000	1460	2190	2920	4380
		10.00	2	0.091	4.500	10.000	1820	2730	3640	5460
		12.00	2	0.109	5.400	12.000	2180	3270	4360	6540
	 <b>B</b>  <b>B</b>									
	Graphite	6.00	2	0.080	0.850	1.200	1600	2400	3200	4800
		8.00	2	0.107	1.100	1.600	2140	3210	4280	6420
		10.00	2	0.133	1.400	2.000	2660	3990	5320	7980
		12.00	2	0.160	1.700	2.400	3200	4800	6400	9600
	 <b>B</b>  <b>B</b>									
	Graphite	6.00	2	0.080	1.100	0.350	1600	2400	3200	4800
		8.00	2	0.107	1.450	0.350	2140	3210	4280	6420
		10.00	2	0.133	1.800	0.350	2660	3990	5320	7980
		12.00	2	0.160	2.150	0.350	3200	4800	6400	9600
	 <b>B</b>  <b>B</b>									